

M

E<sup>z</sup>

^

2020

W

X

K

ψ

~

M E<sup>~</sup>

$\bar{w}$   $\updownarrow$  .....

|                                               |                                                                                             |    |
|-----------------------------------------------|---------------------------------------------------------------------------------------------|----|
| $\mathcal{H}$                                 | $\mathcal{H}\Psi$ .....                                                                     | 35 |
| $\tilde{\eta}$                                | $\acute{\alpha}$ .....                                                                      | 37 |
| $\mathbb{X}$                                  | $\vdash \Psi \quad \mathcal{L} \quad \neq \quad \mathbb{N}_0 \quad \dot{\mathcal{E}}$ ..... | 38 |
| $\bar{\omega}$                                | $\vdash \Psi \quad \mathcal{L}$ .....                                                       | 38 |
| $\mathcal{H}$                                 | $\acute{\rho}$ .....                                                                        | 42 |
| $\hat{\hat{\hat{\mathcal{A}}}}$               | $\Psi \quad \mathcal{H}\vdash \quad \kappa$ .....                                           | 43 |
| $\mathcal{M}$                                 | $\dot{\mathcal{E}} \text{ 'E } \wp$ .....                                                   | 43 |
| $\bar{\omega}$                                | .....                                                                                       | 43 |
| $\mathcal{H}$                                 | $\text{ 'E } \wp$ .....                                                                     | 44 |
| $\mathcal{M} \quad \bar{\omega}$              | $\mathbb{N}_0 \quad \vdots \quad \dot{\mathcal{E}}$ .....                                   | 45 |
| $\bar{\omega}$                                | $\mathbb{N}_0 \quad \dot{\mathcal{E}} \quad \vdots$ .....                                   | 45 |
| $\mathcal{H}$                                 | $\dot{\mathcal{E}}$ .....                                                                   | 46 |
| $\mathcal{M} \quad \mathcal{H}$               | $\acute{k}$ .....                                                                           | 48 |
| $\mathcal{V}_{\hat{\hat{\hat{\mathcal{A}}}}}$ | $\updownarrow$ .....                                                                        | 49 |

$\bar{w}$   $\downarrow$

$\bar{w}$   $\psi$   $E^{\sim}$   $\kappa \xi \tilde{v}$   $\sim$   $E^{\sim}$   $\xi$   $\psi$   
 $\tau \chi$   $\sim \xi$   $E^{\sim}$   $\wedge \gamma \eta$   $E^{\sim}$   $\sim$   $\tau \chi$   $\sim \xi$   $\vdash \wedge \gamma$   
 $\eta$   $\vdash \sim$   $\tau$   $\sim$   $\alpha$   $\wedge \gamma \eta$   $\alpha$   $\sim \xi \dot{\iota} \tau$   $\tau$   $\sim$   $L$

$\mu$   $E^{\sim}$   $\psi$   $E^{\sim}$   $\xi \dot{\iota} \tau$   $\tau$   $M$   $E^{\sim}$   
 $E^{\sim}$   $\mathbb{P}$  1995~ 148~  $\xi \tau$   $\vdash$   $2 \psi$   $\ddot{u}$   
 $\wedge$  1995~ 86 **N'1\1/4** ‘

M E~ H ~ y ч E~ Ъ ч E~ Ъ  
 K K Ъ K H ≠ y T ~ í Z ð E~ K H  
 H 2 í Z ð ш ~ K~ Y K~  
 K~ Y E~ H H غ ì ɿ 2~ K~ Y E~ ~ E~  
 ~ Y K H H غ ì ɿ 2  
 M W ì ɿ 2 E~ • H ψ й  
 T

H غ

M H E~ ' ° 3 Й~ °  
 ~ ⇔ غ ⇔ ~ ð 3~ ~ Y  
 K  
 M~ ш ~ E~ '  
 L غ قف غ قف L ج L غ قف  
 Ì Ì ɿ ج L غ قف T Û Ì ~ ل ج Ì ج Ì ʔ  
 3 T^ ~ b ° Ì M~ W " 3 T

M~ M

W M ð

M E~ M ð

M J 'E~ M Ü ~ 'E 'E 'E l t~ □ w  
 M í □ ≠  
 □ Ü □ ~ Ü Đ Ğ E □' K v ı β @  
 M~ U □ E  
 M'E 'E~ Ü ~ Y~ V  
 M ≠ 'E~ Ü M~ T T K'E~ №'E~  
 T  
 M ñ 'E~ Ü ~ ı ı l ı~ 1996 1 6 γ ° 'E~ M  
 7,855 ' ~ Ü ~ M l ° W'E 1997 2 ~  
 ° ~ Ü ~ M ~ í ı ° ' 2004  
 4 ~ ° 'E~ 7/8 Ů l °  
 'E~ M' 2011 12 ~ T ~ °  
 'E~ 'E~ M ã 7/8 3 ^ ~ 'E~ ' 2019 5 ~  
 3 ^ ~ 'E~ O ı ı ° 3 'E~  
 M Ž 'E~ M ı 797,589,304 ~ ı ı  
 H M 'E~ 'E~ 'E~ ^ ' 'E~ o 3~ ı γ ı  
 G ã ~ y y'E~ M ~ L K v ↑

H M ! Ğ

H M w 'E~ Ğ Ü ~ ı ~ K  
 ψ №≠ ı ₣ = ~ ~ γ Ÿ ↓ v '  
 ^ w~ 'E Ü M'  
 ^ H~ 'E Ü M'

$\hat{\alpha} \sim h$        $\kappa$       ,  
 $\hat{\alpha} \sim \gamma \text{'E}$       ,  
 $\hat{\alpha} \text{ } \mathcal{L} \sim$        $\gamma \text{ } \tilde{\text{I}} \text{ } \mathcal{T}$        $\Psi \text{ } \%$        $\dot{\text{I}} \text{ } \mathcal{T}$   
 $\mathcal{H} \mathcal{M} \mathcal{H}$        $\text{'E} \sim \gamma \text{ } \vdots$        $\text{'Y}$        $\text{'E} \text{ } \vdots$        $\text{'Y}$        $\sim$        $\text{'E}$   
 $\gamma \text{ } \tilde{\text{I}} \text{ } \dot{\text{I}} \text{ } \mathcal{T}$        $\mathcal{E}$        $\mathcal{W}$   
 $\mathcal{H} \mathcal{V} \hat{\alpha}$        $\text{'E} \text{ } \mathcal{Y} \downarrow$        $\text{'Y} \sim \gamma \text{ } \mathcal{W}$        $\mathcal{E}$   
 $\sim$        $\text{'E}$        $\mathcal{M}'$   
 $\hat{\alpha} \text{ } \bar{\mathcal{W}} \sim \vdots$        $\text{'E}$        $\text{'Y}$       ,  
 $\hat{\alpha} \text{ } \mathcal{H} \sim \mathcal{L}$        $\text{'E}$        $\dot{\text{I}} \text{ } \mathcal{T} \text{'E} \text{ } \dots$       ,  
 $\hat{\alpha} \hat{\alpha} \hat{\alpha} \sim$        $\mathcal{M}$        $\vdots$        $\text{'E}$       ,  
 $\hat{\alpha} \sim \kappa$        $\kappa$        $\Psi \text{ } \mathcal{L} \text{ } \mathcal{F}$        $\text{'E} \text{ } \dots$        $\mathcal{N} \mathcal{O} =$        $\sim$        $\text{'E}$        $\dot{\text{I}}$   
 $\mathcal{M}$   
 $\odot$        $\sim \text{'E} \text{ } \mathcal{L}$        $\mathcal{Y} \mathcal{M}$        $\text{'E}$        $\mathcal{M}$        $\text{'}$   
 $\mathcal{H} \mathcal{M}$        $\text{'E}$        $\text{'E} \text{ } \mathcal{M} \sim \gamma \text{ } \mathcal{Y} \downarrow$        $\mathcal{H} \text{ } \bar{\mathcal{W}}$        $\text{'}$   
 $\hat{\alpha} \text{ } \bar{\mathcal{W}} \sim \mathcal{T}'$        $\mathcal{T}$        $\mathcal{E}'$       ,  
 $\hat{\alpha} \text{ } \mathcal{H} \sim$       ,  
 $\hat{\alpha} \hat{\alpha} \hat{\alpha} \sim \mathcal{T}$        $\Psi \text{ } \sim$        $\dot{\text{I}} \text{ } \mathcal{T}$   
 $\mathcal{H} \mathcal{M} \mathcal{L}$        $\text{'E}$        $\mathcal{H} \mathcal{V} \hat{\alpha}$        $\hat{\alpha} \text{ } \bar{\mathcal{W}} \sim$        $\hat{\alpha} \hat{\alpha} \hat{\alpha} \sim$        $\mathcal{L}$        $\text{'E}$   
 $\propto$        $\mathcal{M}$        $\sim$        $\kappa$        $\Psi =$        $\text{'E} \text{ } \mathcal{W}$        $\mathcal{H} \mathcal{V} \hat{\alpha}$        $\text{'E}$        $\mathcal{M} \text{ } \mathcal{U} \sim$   
 $\mathcal{G}$        $\hat{\alpha} \text{ } \bar{\mathcal{W}} \sim$        $\sim$        $\mathcal{H}$        $\mathcal{M}$        $\dot{\rho}$       ,       $\mathcal{G}$        $\hat{\alpha} \text{ } \mathcal{H} \sim$        $\hat{\alpha} \sim$   
 $\sim$        $\text{'E} \text{ } \mathcal{O}$        $\dot{\rho}$   
 $\text{'E} \text{ } \mathcal{W}$        $\mathcal{H} \mathcal{V} \hat{\alpha}$        $\hat{\alpha} \hat{\alpha} \hat{\alpha} \sim$        $\text{'E} \text{ } \mathcal{M} \sim \mathcal{L}$        $\text{'E} \text{ } \mathcal{U}$   
 $\mathcal{M}$        $5\%$        $\mathcal{G}$        $\mathcal{L} \text{'E}$        $\mathcal{U} \neq \mathcal{T} \text{ } \mathcal{F}'$        $\mathcal{M}$

̄ ρ

⌘ M

⌘ M 'E 'E~ M~ γ ы

⌘ M ≠ 'E~ Ъ Ì 'E~ Ъ ы

⌘ M ŋ Û ⌘ 'E~ M~ 'E~ ы ̄ ρ Ъ

'E~ 'E Û M || Û M~ 'E~ |' ⌘ ⌘ ы ̄ ρ Ъ

'E~ ⌘ ⌘ ⌘ 2 h'E~ 'E~ M ĭ Ì ĭ  
⌘ ⌘ ⌘ M Ъ Ì 'E~ M 25%

'E~ M 'E~ ⌘ ⌘ ы ̄ ρ Ъ ⌘ ⌘ 2 U ы ρ~  
Ь Ì 'E~ M

⌘ M Ж 'E~ ⌘ ⌘ ⌘ 2 'E~ M 5% ⌘ ⌘  
Ì 'E~ ŷ ~ U'E ы ρ M ƒ~ M ƒ U'E ы ρ ĭ ŷ ~

'E~ ~ 'E~ ⌘ ψ Ì ρ ~ |'E~ ⌘  
~ ⌘ U ▼ ϕ 5% ⌘ ⌘ M ~ M ƒ Ъ Ì 'E ы L

'E~ ⌘ ψ Ъ || ~ ⌘ ⌘ ψ ⌘ M ρ 'E  
~ ⌘ ψ ⌘ ρ ~ ⌘ ы ⌘ E~ ≠ γ O ы h⌘

'E~ ⌘ ψ Ъ ̄ ρ ~ ⌘ ⌘ ы ⌘



$L \quad \dot{\iota} \quad \tilde{E} \quad M \quad \gamma \dot{\iota} \quad \ddot{\iota} \quad \tilde{E} \quad \kappa \quad M U$

$\kappa \quad \gamma \quad L$

$\tilde{\omega} \quad M \quad \tilde{E} \quad \kappa \quad \Psi \quad H \Psi = \dot{\rho} \quad \dot{\iota} \quad \sim \quad \kappa$

$\neg$

$\kappa \quad \Psi \quad H \Psi \quad \Psi \quad \circ \quad = \quad \dot{\iota} \quad \sim$

$= \dot{\rho} \quad \dot{\iota} \quad \sim \quad \kappa \quad = \quad \mathfrak{b} \neq \mathfrak{H} \quad \tilde{E} M \quad \dot{\rho} \quad \neg$

$\tilde{\omega} \quad M \quad \mathfrak{L} \quad H \quad \neg \quad 2 \quad \tilde{E} \quad \vdash \quad \dot{\iota}$

$\sim \quad \tilde{E} \quad \sim \quad \bar{\omega} \quad \mathfrak{H} \quad M \quad \mathfrak{L} \quad \gamma \quad \neg \quad \sim \quad \tilde{E} \quad 1\% \quad \mathfrak{L}$

$M \quad \kappa \quad \ddot{\iota} \quad H \Psi \quad h_{\neg} \quad , \quad H \Psi \quad \tilde{E} \quad \vdash \quad \dot{\iota}$

$\sim \quad \tilde{E} \quad \sim \quad \kappa^{\sim} \quad \gamma \quad \ddot{\iota} \quad H \Psi$

$h_{\neg}$

$H \Psi \quad H \Psi \quad \vdash \quad \Vdash \quad \kappa \quad \ddot{\iota} \quad U \quad \sim \quad \vdash$

$\mathfrak{H} \quad \tilde{\omega} \quad M \quad \dot{\rho} \quad \sim \quad , \quad \mathfrak{L} \quad \neg \quad \Psi \quad \mathfrak{a} \quad \tilde{E} \quad \neq \quad \dot{\iota}$

$\vdash \quad \gamma \quad \sim \quad \Vdash \quad \kappa \quad \mathfrak{L} \quad \tilde{E} \quad \neq \quad \gamma \quad O \quad \mathfrak{H} \quad h_{\neg}$

$\neg \quad \sim \quad \tilde{E} \quad \sim \quad \tilde{E} \quad \sim \quad \bar{\omega} \quad \kappa^{\sim} \quad \gamma \quad \mathfrak{L}$

$\Vdash \quad \mathfrak{H} \quad h_{\neg}$

$\tilde{\omega} \quad M \quad \tilde{E} \quad H \quad \neg \quad 2 \quad \dot{\iota} \quad \sim$

$\kappa \neq \sim \quad \kappa^{\sim} \quad \gamma \quad h_{\neg}$

$\tilde{\omega} \quad M \neq \quad \tilde{E} \quad \kappa \quad \mathfrak{L} \quad \downarrow \quad \mathfrak{H} \quad \vdash$

$\wedge \quad \bar{\omega} \quad \mathfrak{L}$

$\wedge \quad H \quad \mathfrak{L} \quad \dot{\iota} \quad M \quad \mathfrak{L} \quad \sim$



$$\hat{\psi} \sim \frac{1}{\sqrt{2}} \left( \begin{array}{c} \psi_1 \\ \psi_2 \end{array} \right)$$
$$\hat{\eta} \sim \mathcal{N}(\tilde{E}, \mathbf{I})$$
$$\hat{E} \sim \frac{\%}{100} \tilde{E} \neq N_0 \quad \xi \quad \tau$$
$$\hat{\neq} \sim \tilde{E} \vee \vdots \Upsilon \flat \neq_{=}$$
$$\hat{\eta} \sim \ddot{u} \quad \tilde{E} \quad \tilde{v} \quad \vdash \quad \mathfrak{b} \quad \mathfrak{F} = ,$$
$$\hat{\chi} \sim \tilde{E} \quad N_0 \quad \tilde{E} \quad b \neq \dots$$
$$\hat{M} \sim \hat{K},$$
$$\hat{M} \bar{W} \sim E^{\tilde{\chi}} \quad \Psi \quad H \uparrow \quad \tilde{b} \neq \_ ,$$
$$\hat{V} H \sim \frac{\%}{\infty} V \bar{W} \quad \bar{G} H \quad ,$$

٢٥      ٢٦      ٢٧      ٢٨      ٢٩      ٣٠      ٣١      ٣٢      ٣٣      ٣٤      ٣٥      ٣٦      ٣٧      ٣٨      ٣٩      ٤٠      ٤١      ٤٢      ٤٣      ٤٤      ٤٥      ٤٦      ٤٧      ٤٨      ٤٩      ٥٠      ٥١      ٥٢      ٥٣      ٥٤      ٥٥      ٥٦      ٥٧      ٥٨      ٥٩      ٦٠      ٦١      ٦٢      ٦٣      ٦٤      ٦٥      ٦٦      ٦٧      ٦٨      ٦٩      ٧٠      ٧١      ٧٢      ٧٣      ٧٤      ٧٥      ٧٦      ٧٧      ٧٨      ٧٩      ٨٠      ٨١      ٨٢      ٨٣      ٨٤      ٨٥      ٨٦      ٨٧      ٨٨      ٨٩      ٩٠      ٩١      ٩٢      ٩٣      ٩٤      ٩٥      ٩٦      ٩٧      ٩٨      ٩٩      ١٠٠

30% H<sub>2</sub>

$$\hat{M} \sim \frac{1}{\sqrt{2}} \left( \begin{array}{cc} 1 & 0 \\ 0 & 1 \end{array} \right)$$
$$\hat{M}_J \sim 7/8'$$
$$\hat{M} \sim E \quad K \quad \Psi =$$
 $\dot{I} \sim H$ 
$$\mathbb{M} \quad \bar{\mathbb{W}} \quad \tilde{\mathbb{E}} \quad \check{\mathbb{Y}}_{\downarrow} \quad \bar{\mathbb{G}} \quad \mathbb{C}^{\sim} \quad \mathbb{K} \quad \Psi$$
$$\hat{\alpha} \quad \bar{W} \quad \tilde{E} \quad \tilde{I} \quad \tilde{E} \quad \tilde{E} \quad \bar{G} \quad \int \quad \bar{W}$$
$$\Gamma^{qp} = 50\% \gamma_U + \Gamma_{K_V} + \bar{G}'$$
$$\hat{H} \sim \tilde{E} \quad \bar{G} \quad \int \quad \bar{W} \quad \approx \quad 30\% \gamma \text{ U}$$
$$L \quad K \quad V \quad \bar{G}'$$
$$\hat{\chi} \sim \chi^{\text{sp}} \tilde{V} \quad 70\% \quad \bar{G} \quad L \quad \bar{G}'$$
$$\hat{\gamma} \sim \gamma \quad \bar{G} \quad \bar{W} \quad \left[ \begin{array}{c} \text{90} \\ 10\% \end{array} \right] \quad \bar{G}'$$
$$\hat{\eta} \sim K L_{\gamma}(\tilde{t}, \tilde{i})^{\gamma} L G$$





HΨ ρ ū ƒ κ ψ ~ ч HΨ Ъ, ħ κ  
 ψ Ж M ƒ, ƒ ˆ E № H M ƒ, M κ ~ γ 9  
 ħ h

л M HΨ κ = 9 κ ψ ~ й HΨ □  
 h E ƒ ƒ ψ ƒ ħ ƒ

κ ψ = E ρ ƒ 9 κ ° Ъ γ G № H M  
 9 κ ū ƒ κ ψ ĭ κ ψ = E ρ ~ h E ƒ ƒ  
 ψ ƒ ħ ƒ ƒ ƒ

л M w G HΨ κ 9 κ ψ ~ HΨ ħ HΨ й  
 ƒ ˆ

HΨ L κ O'Y  
 HΨ L κ O'Y ~ 9 ~ γ 9 κ ψ ƒ E ρ ~ h  
 ƒ ū 9 ū κ O'Y Ъ G 9 κ ψ γ  
 ĭ ƒ

л M H HΨ κ 9 κ ψ ~ ψ E  
 ~

κ ψ Ъ

л M ρ G κ ψ ~ ħ ĭ r =  
 H ~ ƒ ˆ ħ ƒ

л M E 9 κ ψ ~ HΨ HΨ γ ĭ ƒ ˆ E  
 3% ƒ, M κ ~ h E ƒ ƒ

ƒ ˆ E 3% ƒ, M κ ~ γ κ ψ 9 M ƒ ƒ ƒ X  
 й ƒ 9 9 9 ƒ U H ρ ū ƒ κ ψ ƒ H ~

Ἐρχ ῥ

|| ὁ ρ ὁ ἔ ρ κ ψ Ἐρὺ ἔ ἰ κ ψ

τ ↓ ν

κ ψ τ ↓ ἔ ρ ἰ κ ψ ἔ

= ἔ ρ =

ἰ ρ ἰ ρ ρ κ ψ ρ ρ ρ || γ Ἐρ ἔ κ

χ κ ψ ρ ψ ρ

[illegible]



9      κ ψ ~ ψ h      ĩ κ ψ H ⤵ a ψ      ~  
       ⌘ κ ψ =      1      κ □ ~      κ ψ ~      e w      κ ψ h  
       ~      ψ  
       'E M Ž      'E ~ L      κ ψ H ⤵ ~      κ ψ 9      Ğ =  
       ~ ,      =      ψ =  
       ψ      ĩ ì      'E ρ ρ ~ γ ĩ κ ψ H ψ      1 ⤵ ~      ρ  
       ĩ r  
       κ ψ H ⤵      b 4      ϑ ~      H ψ ~      κ ψ %  
       ≠ M      κ ψ ~      H ψ      H ψ      ì ~ w      b h  
       κ ψ b ⌘ ρ      O      H ž      b ⌘ ρ  
       ≠ M w      H      H      2      κ ψ ~      κ      Ğ  
       b ⌘      Ğ  
       ≠ M H      ψ h      = ||      ⌘ ψ      κ Ğ 7      ~  
       ĩ      =      M      ⌘ ψ      κ Ğ 7      ~      ĩ      =  
       M      γ ψ      4 %  
       ≠ M ~      κ ψ      ψ      ~      H ψ      ÿ      ψ      γ Ÿ  
       ρ      '  
       ^ w ~ ψ      Ğ 9      O O '  
       ^ H ~ ψ h      γ ĩ ⌘      ↓ ψ      H      H      Ğ ì 7      ~  
       2 O'  
       ^ ~ ~ ⌘ ψ      κ Ğ 7      ~      =      M      ĩ V 'E ~      M  
       D '  
       ^ ~      w      Ū      Ğ =      ,



$$\hat{\mathcal{L}} \sim \tilde{E} \quad \rho'$$
$$\hat{E} \sim \gamma \neq \gamma \quad \dot{\gamma} \neq \gamma$$

H

$$\neq \vee \tilde{\eta} \quad \tilde{\eta} \downarrow H \quad \kappa \quad \psi \gamma \quad \neq =$$
$$\hat{w} \sim \tilde{E} \quad \nu \quad \vdots \quad \gamma$$

^ H~ 'E~ No ٧٥ ع

$$\hat{\mathcal{C}} \sim \tilde{U} \tilde{E} \tilde{V}^\dagger$$
$$\sim \sim E^{\sim} M'$$
$$\hat{J} \sim \hat{k},$$
$$\hat{\phantom{x}} \quad \tilde{E} \quad \tilde{E}^* \quad \bar{w} \quad \dot{\rho} \quad \bar{y} \quad \text{ف} \quad \overset{90}{\circ} \quad \tilde{E}^* \quad \bar{w} \quad \overset{90}{\circ}$$
$$N_0 H_2 \approx M H_2$$
$$\hat{\alpha} \approx \tilde{E} \quad \bar{G} \quad \int \quad \bar{W} \quad \alpha \quad 30\% \gamma \quad U \quad L$$
$$K_v \quad \bar{G}H_u \quad ,$$
$$\hat{\eta}^{\sim} : 7/8'$$
$$\hat{\chi} \sim \tilde{E} \neq N_0,$$
$$\hat{M} \sim \gamma \tilde{l} \kappa \psi \gamma = \psi \tilde{E}$$
$$\tilde{\gamma} \approx \gamma \neq \gamma_{\text{H}}$$
$$\# \mathbb{M} \hat{\mathbb{X}} \quad \kappa^{\wedge} \quad \kappa \eta \quad \sim \quad \gamma \dot{\imath} \quad \eta \quad = \quad M \quad a$$
$$= \bar{W} M_{\perp} \bar{W} =$$
$$K(\Psi) \cap T \neq \emptyset \quad \text{if and only if} \quad T = \emptyset$$

Г                                  і    'Е

$$\tilde{E}^{\sim} \quad \tilde{E}^{\sim} \quad M \quad = \quad \sim \quad F \quad N_0 \quad M \quad \tilde{b} \quad \sim \quad \tilde{F} \quad K \quad \Psi \quad =$$

M

$\tilde{E} \quad H\psi \quad H\xi \quad \tau \quad \varnothing \quad K^{\sim} \quad \gamma \tilde{E} \quad K$   
 $K \quad h \quad \tau H N_0 \quad \acute{r} \quad h \quad H \quad \gamma \quad \tilde{e} \quad \acute{r}$   
 $\tilde{e} \quad K \quad \tilde{E} \quad \mathfrak{b} \quad \mathfrak{F} \quad \gamma \quad \mathfrak{p} \quad L$   
 $\mathfrak{H} \vee \quad K \quad \psi \quad \tau \tau \quad H \quad \sim \tau \quad K \mathfrak{b} \quad \mathfrak{a} \mathfrak{b} \quad =$   
 $\grave{r} \quad \eta \quad = \quad M \quad \mathfrak{b} \quad \sim \quad = \quad ' \quad K \quad \psi = \quad E \varrho \quad \tau H N_0$   
 $\tau \quad K \quad = \quad ' \quad$   
 $\tau \quad \tau \quad \tau \quad H \quad \ddot{U} \quad H \vdash \quad H \quad \sim \quad \mathfrak{b} \quad \mathfrak{U} \quad \ddot{U} \quad E$   
 $\mathfrak{H} \downarrow \quad \mathfrak{b} \quad \mathfrak{U} \quad \tau \quad \tau \quad \tau$   
 $\wedge \quad \bar{w} \sim \tau \quad \mathfrak{U} \quad K \quad \psi = \quad \ddot{U} \quad \xi \neq$   
 $\wedge \quad H \sim \tau \quad \bar{y} \tilde{E} \quad E \quad \ddot{U} \quad \circ \mathfrak{z} \tilde{v} \vdash$   
 $\wedge \quad \sim \tau \quad \mathfrak{H} \quad \mathfrak{H}' \quad ,$   
 $\wedge \quad \sim \tau \quad \mathfrak{b} \quad \mathfrak{U} \quad \tau \quad \tau \quad \grave{r}$   
 $\tau \quad \tau \quad K \sim \quad K \quad \psi \quad \tau \tau \quad \mathfrak{z} \quad \sim \quad \mathfrak{U}'$   
 $\wedge \quad \bar{w} \sim \mathfrak{b} \mathfrak{a} \mathfrak{b} \quad = \quad \grave{r} \quad \eta \quad = \quad M \quad \mathfrak{b} \quad \sim \quad = \quad ' \quad$   
 $\wedge \quad H \sim \mathfrak{b} \quad = \quad \mathfrak{v} \quad \mathfrak{z}'$   
 $\wedge \quad \sim \tau \quad K \quad \eta \quad \mathfrak{U} \quad \psi \quad h \quad \sim \quad \mathfrak{b} \neq \quad h \quad \varnothing \sim \quad =$   
 $\mathfrak{v} \quad \mathfrak{z}$   
 $\mathfrak{H} \vee \bar{w} \quad \tilde{E} \quad \bar{G} \quad K \quad \psi \quad \mathfrak{H} \quad \mathfrak{H} \quad \mathfrak{H} \quad \mathfrak{U} \quad \xi$   
 $\sim \quad \tau \quad L \quad \approx \quad \eta \quad H \quad \sim \quad \mathfrak{U} \quad K \mathfrak{a} \mathfrak{v} \quad K \quad \psi \quad L$   
 $B \neq$   
 $\mathfrak{H} \vee H \quad \tilde{E} \quad G \downarrow \quad , \quad \sim \quad K \quad \psi \quad \gamma \neq = \quad \% \sim$   
 $\tilde{E} \quad \mathfrak{b} \mathfrak{b} \quad H \quad \xi \quad \grave{r} \quad 2 \quad \gamma \quad \tilde{E} \quad \eta \quad \mathfrak{z} \vdash$   
 $\tau \quad \mathfrak{z} \quad \square$



$$= \frac{\bar{F}}{\bar{Y} \bar{W}} = 4 \%$$
$$\tilde{\eta} \neq \chi \neq \psi \neq \tilde{\psi} \neq 0$$
$$\tilde{\eta} \vee \tilde{\eta} \quad \kappa \quad \Psi \quad = \quad \mathbb{F}^{\sim} \quad \epsilon \text{ H O} \quad \kappa \text{ } \eta \quad \check{\alpha} \text{ } \nu \quad \text{ع}$$
$$H \quad b \quad K \neq \gamma \quad \sim \quad \gamma \quad K \quad \tilde{I} \quad \eta \quad \vdash \quad b \quad \tilde{a} \quad v$$
$$\chi^2_{\text{min}} = \chi^2_{\text{min}}(\text{b}, \text{Hb}) = 0$$
$$\psi \sim \psi_0 + \psi_1 + \psi_2 + \dots$$

ἰ ῥ ὁ ἔ κ ἰ ῥ ὁ

$\tilde{\eta}$   $\mathcal{M}\tilde{\mathcal{K}}$        $\kappa$     $\Psi$        $\dot{\imath}$   $\tau$        $\sim$     $\mathcal{B}$     $G$        $\kappa$

Ψ<sub>9</sub>         13:00    Ъ    G    K    Ψ<sub>9</sub>     19:30    i

Ъ Г Қ Ψ Ё, 1 3:00

$$K \quad \Psi \quad \mathfrak{b} \quad G \quad \dot{\iota} \quad \gamma \quad \sim \quad \Psi \quad h \quad \bar{w}$$

— 'ع — ٢

[illegible]

h k t v \_ ' G H T

Ж V    Җ    Қ    Ү    Қ'    '    —    Û    Ү    Ы    Ң    Ұ    Ұ'

11

$$= \frac{1}{2} \left( \frac{1}{2} \right) = \frac{1}{4}$$

≠ i M = 4 “ ”

$$\bar{\chi} \chi \bar{\psi} \psi \quad h_{\psi\psi} = \frac{1}{2} \frac{d^2 \ln Z}{d\ln h^2} = \frac{1}{2} \frac{d^2 \ln Z}{d\ln v^2} = \frac{1}{2} \frac{d^2 \ln Z}{d\ln \mu^2} = \frac{1}{2} \frac{d^2 \ln Z}{d\ln \Lambda^2} = \gamma_{\psi\psi}$$
$$\psi \quad h \quad , \quad \psi \quad \kappa \quad \kappa \quad \psi$$
$$h_{-1} = U_{-1} \psi_{-1}$$

4

$\mathbb{X} \mathbb{M} \mathbb{H}$        $\kappa \ \Psi =$        $\check{\mathfrak{t}} \ \mathfrak{E} \mathfrak{p} \check{\mathfrak{t}} \ \mathfrak{E} \mathfrak{p} \mathfrak{T} \ \downarrow \ \mathfrak{F} \ \Psi$        $\kappa \ \mathfrak{E} \ \eta$   
 $\mathfrak{r} \ \mathfrak{r}$        $=$        $\mathbb{M}$        $\check{\mathfrak{t}} \ \vee \ \mathfrak{E}^{\sim}$        $=$        $\mathbb{M}$        $\mathfrak{D}$        $=$   
 $=$        $\mathfrak{E}$        $\mathfrak{V}$        $=$        $\mathfrak{p}$   
 $\mathbb{X} \ \mathfrak{V}^{\sim}$        $\sim$        $\kappa \ \Psi \ \mathfrak{t}$        $\mathbb{F}$        $\kappa \ \Psi =$        $\sim$   
 $\kappa \ \Psi =$        $\mathfrak{E} \mathfrak{p} \mathfrak{T} \ \mathfrak{b} \ \neq$   
 $\mathbb{X} \ \mathbb{M}$        $\kappa \ \Psi$        $\mathfrak{r} \ \mathbb{H} \ \mathbb{H} \ \mathfrak{e}$        $\sim$        $\kappa \ \mathbb{H} \ \mathbb{H}$   
 $\kappa \ \Psi =$        $\mathbb{U} \ \mathfrak{M} \perp \ \kappa$   
 $\mathbb{X} \ \mathbb{M} \ \mathfrak{L}$        $\kappa \ \Psi$        $\mathfrak{r}$        $\mathfrak{E}$        $\sim \ \mathfrak{E}^{\sim}$   
 $\kappa \ \Psi$        $\mathbb{U} \ \mathfrak{H} \ \mathfrak{a} \ \mathfrak{p}$        $\mathfrak{t} \ \mathfrak{r}$

$\mathfrak{L} \ \mathbb{H} \Psi$

$\bar{\mathfrak{w}} \ \mathbb{H}$

$\mathbb{X} \ \mathbb{M} \ \mathfrak{E}$        $\mathfrak{E}^{\sim}$        $\mathbb{H} \ \mathfrak{u}$        $\mathfrak{r} \ \sim$        $\mathfrak{Y} \ \downarrow$        $\mathfrak{H} \ \bar{\mathfrak{w}} \ \sim$        $\mathfrak{b}$        $\kappa \ \mathfrak{E}^{\sim}$        $\mathbb{H}'$   
 $\wedge \ \bar{\mathfrak{w}} \sim$        $\mathbb{H} \ \mathfrak{u}$        $\mathfrak{z}$        $\mathbb{L} \ \mathbb{H} \ \mathfrak{u}$        $\mathfrak{z}'$   
 $\wedge \ \mathbb{H} \sim$        $\sim \ \vee \ \mathfrak{a}^{\circ}$        $\mathfrak{a}^{\circ}$        $\Psi \ \mathfrak{h} \ \mathfrak{y}$        $\sim$   
 $\infty \ \mathfrak{g}/8 \ \sim$        $\mathfrak{L} \ \sim$        $\square$        $\neq \sim$        $\mathfrak{L} \ \mathfrak{r}$   
 $\wedge \ \mathfrak{z}^{\sim} \sim$        $\kappa \ \mathfrak{a}^{\circ}$        $\mathfrak{E}^{\sim}$        $\circ \ \mathfrak{z}$        $\mathbb{H} \ \mathfrak{M}$        $\sim$        $\mathfrak{E}^{\sim}$        $\circ \ \mathfrak{z}$

^ 'E~ T      ψ γ t      ~ ~      ,  
 ^ ≠~      ì τ ρ  
     ï      e      H~      e      K      H K  
 ƒ      ~ 'E~      ì t  
     ЖМ ≠      H      қ      ψ      e      ~      K      H K      ~ ~  
 K      H K      γ ||~      қ      ψ Ъ      ì t  
     H K      c      K H      ~      Hψ K      ч      H K  
 ï      ~      ƒ      H K ||~      л      H.      ш  
 Ğ      ~      H t  
     H~ γ      ì τ      2 ì K~      p ì K      ì τ  
 2 t      H γ ï      η      K      H~      Ъ      'E~      H      H№ H w  
     ЖМ ñ      H      Ğ      ~      'E~      Й↓      y  
 t'  
 ^ w~ Ъ ≠      ì      ì τ      ~~ Ъ ~ √ 'E~      ° ,  
 ^ H~ Ъ      'E~      ,  
 ^ ~~ Ъ      'E~      °      γ ì @. O H      ì τ @. O H      Ũ'  
 ^ ~ Ъ      ï      ~      қ      ψ      Hψ □      ~      'E~      \$  
 τ.      γ 'E~      °      ч τ.      L      G'  
 ^ л~ Ъ      ï      қ      ψ □      ~ Ъ      'E~      . □  
 ,  
 ^ 'E~      қ      ψ □      ~ Ъ ≠      t B ≠~      ч      τ.      Ũ      G'E  
 ~      3      ψ~      ч τ.      Ъ      'E~      □      3 t'  
 ^ ≠~ Ъ      ì Ъ 'E~      '      ƒ      ч      ,

$\hat{\pi} \sim \mathfrak{b} \quad \mathfrak{E}^{\sim}$  ,

$\hat{\mathfrak{X}} \sim \mathfrak{b} \neq \dot{\mathfrak{r}} \quad \mathfrak{r} \quad \mathfrak{E}^{\sim} \neq$  ,

$\hat{\mathfrak{M}} \sim \quad \mathfrak{I}^{\sim} \quad \dot{\mathfrak{r}} \quad \mathfrak{H} \vdash$

$\mathfrak{H} \quad \mathfrak{I}^{\sim} \quad \sim \sim \quad \mathfrak{E}^{\sim} \quad , \quad \mathfrak{E}^{\sim} \quad \sim$

$\tilde{\mathfrak{e}} \quad \mathfrak{k}$

$\mathfrak{X} \mathfrak{M} \mathfrak{X} \quad \mathfrak{H} \quad \mathfrak{E} \quad \sim \quad \mathfrak{E}^{\sim} \quad \mathfrak{Y} \downarrow \mathfrak{V} \mathfrak{N} \mathfrak{H}$

$\vdash$

$\hat{\bar{\mathfrak{w}}} \sim \quad \mathfrak{V} \mathfrak{N} \quad \mathfrak{a} \mathfrak{E}^{\sim} \quad \mathfrak{z} \quad \neq \sim \quad \gamma \bar{\mathfrak{G}} \quad \mathfrak{E}^{\sim} \quad \mathfrak{z} \quad \mathfrak{H}$

$\gamma \quad \mathfrak{I}^{\sim} \quad \mathfrak{V} \quad \sim \quad \mathfrak{z} \quad \mathfrak{H} \quad \mathfrak{b} \quad \mathfrak{z}$

$\mathfrak{z} \vdash$  ,

$\hat{\mathfrak{H}} \sim \quad \mathfrak{E} \quad \mathfrak{k}'$

$\hat{\mathfrak{z}} \sim \mathfrak{I}^{\sim} \quad \mathfrak{z} \quad \mathfrak{E}^{\sim} \quad \mathfrak{z} \vdash \quad ,$



|           |                  |     |                  |             |           |
|-----------|------------------|-----|------------------|-------------|-----------|
| $\bar{w}$ | $\bar{E}$        | $H$ | $\bar{E}^{\sim}$ | $\vdash$    | $\bar{i}$ |
| $\sim$    | $\bar{E}^{\sim}$ |     | $\sim$           | $\tilde{e}$ | $k$       |

$$\hat{\mathcal{M}}_{\bar{W} \sim L}^{\sim} \sim E^{\sim} L^{\sim} ,$$

$$\hat{\mathcal{M}}_{H \sim L}^{\sim} \sim k^{\sim} ,$$

$$\hat{\mathcal{M}}_{\tilde{H} \sim H}^{\sim} \sim E^{\sim} H^{\sim} H^{\sim} ,$$

$$\hat{\mathcal{M}}_{\tilde{h} \sim \psi}^{\sim} \sim \psi^{\sim} E^{\sim} \psi^{\sim} H^{\sim} ,$$

$$\hat{\mathcal{M}}_{\tilde{b} \sim \tilde{b}'}^{\sim} \sim E^{\sim} \tilde{b}^{\sim} \tilde{b}'^{\sim} ,$$



$\hat{\sim}$   $\mathcal{H}\Psi$   $\mathfrak{D}\xi\dot{\imath}\dot{\imath}$   $\tilde{E}$   $\eta$   $\mathfrak{D}'$   
 $\hat{\mathcal{L}}\tilde{a}$   $\eta$   $'$   
 $\hat{E}\tilde{u}$   $\tilde{b}$   $z$   $'\tilde{y}$   $\tilde{E}$   $\mathcal{H}\mathfrak{F}$   $a$   $\mathfrak{w}$   
 $\xi\tilde{E} \neq \neq \sim \mathcal{H}U\mathfrak{h}\tilde{E}$   $\mathcal{H}\Psi\xi$   $\kappa$   $\Psi$   $\mathfrak{p}'$   
 $\hat{\neq}\sim \mathcal{H}\Psi$   $\mathfrak{z}$   $\dot{\imath}\dot{\imath}$   
 $\bar{w}$   $\bar{w}\mathfrak{M}\mathfrak{X}$   $\tilde{E}$   $\bullet$   $\mathcal{H}$   $\mathfrak{v}^{\uparrow}$   $\mathcal{H}$   $\mathfrak{b}\sim$   $\mathcal{H}$   $\mathfrak{b}$   $\mathfrak{F}$   $\mathfrak{b}$   
 $\mathfrak{F}\sim$   $\bullet$   $\mathcal{H}$   $\mathfrak{F}'$   $\bullet$   $\mathcal{H}$   $\mathfrak{b}$   $\mathfrak{F}$   $\mathfrak{b}$   $\mathfrak{F}\sim$   
 $\mathfrak{V}$   $\mathfrak{y}^{\dagger}$   $\mathcal{H}''$   $\square$   $e\bar{w}\mathcal{O}$   $\mathcal{H}$   $\mathfrak{F}$   
 $\bar{w}$   $\mathcal{H}\mathfrak{M}$   $\mathcal{H}\Psi$   $\mathfrak{g}$   $\mathfrak{H}$   $\Psi\sim$   $\mathcal{H}$   $\mathfrak{g}$   $\sim$   $\mathcal{G}\Psi$   $\mathfrak{g}$   $\mathfrak{M}$   
 $\Upsilon$   $\mathfrak{f}$   $\mathfrak{y}$   $\mathfrak{n}$   $\mathfrak{r}$   $\mathcal{H}\xi$   $\mathcal{H}$   
 $\bar{w}$   $\mathcal{H}\mathfrak{M}\bar{w}$   $\eta$   $\mathfrak{M}\mathfrak{N}\mathfrak{e}\mathfrak{H}$   $\bar{w}\mathfrak{y}^{\dagger}$   $=$   $\kappa$   $\mathfrak{z}\mathfrak{z}$   $\mathfrak{N}\mathfrak{e}\mathfrak{H}$   $\bar{w}\mathfrak{y}^{\dagger}$   $\mathcal{H}$   
 $\mathcal{H}\Psi\sim$   $\sim$   $\Upsilon$   $\mathfrak{g}$   $\mathcal{H}\Psi\chi$   $\Psi$   $\mathcal{H}$   $\int$   $U\mathfrak{M}$   $\mathfrak{p}\sim$   $\mathfrak{g}$   $\xi\mathfrak{h}$   
 $\mathcal{H}\Psi\Psi$   
 $\bar{w}$   $\mathcal{H}\mathfrak{M}\mathcal{H}$



Εἰ οὖν αὖ ψῆχ' ἔν' ἡμῖν

↓ HΨΨ  
 W̄ M Л L b t̃ HΨ %U  
 W̄ M'E b t̃ Й↓ ρ '  
 ^ W̄ Ψ 9 Đ Ğ ă v 2'  
 ^ H̄ İ ì ı 2 ı İ r İ ì № '  
 ^ W̄ Ẽ ˆ ı ı γ İ h HΨ HΨ  
 ρ L '  
 ^ ~ HΨ ı İ ı H  
 W̄ M ≠ ~ γ κ γ || ₯ ı r  
 Ğ W b'Ẽ ı ' F ı  
 W̄ M ĩ ˆ Õ HΨ κ ˆ ı ↑  
 Ẽ b̃ İ b t̃  
 W̄ M Ж Ẽ HΨ й̃ Ẽ κ ψ Ğ HΨΨ  
 Đ Ğ γ İ Ẽ κ ~ W H H̄ H  
 HΨ й İ ı  
 W̄ M 2 Ẽ ı İ  
 ~ Ẽ ˆ ẽ κ

# HΨ

W̄ H

W̄ M W̄ Ж M'E ı G Ъ κ H ı G

U

U      Ğ ĩ ı      2 Ъ ĩ K U

W M U      U      Ğ      ˘      E˘      ʝ

Г Ğ ʌ ɤ ʝ ʝ ʌ ≠      ĩ      ĩ ı      ˘˘ Ъ ˘ ʌ E˘      °

W ʌˆˆ      U K      ʌˆˆ      U K      ˘      ˘      ɣ K

W M      U K      ĩ      ˘      U K      ʀ      U

Ψ 2 ʏ G      ˘      ɤ      U K      ʌ      ʌ      U      ɥ

Ğ      ˘      U ʝ

W M ʌ      U      Ĝ E˘      ʝ      ‰

W W E      ĩ      ˘      M M      ‰

$$\dot{I} \approx h e^{a\rho}$$

Ў    л м            н џ    а й ↓       '

$$\hat{w} \sim H_0 \psi \quad L \quad \tilde{E} \quad \rho \quad \mathbb{F} \quad \mathbb{H}$$
$$\hat{H} \sim E^{\tilde{\alpha}} \quad \vdash$$
[illegible]
$$\chi^2 = \frac{1}{2} \sum_{i=1}^N \left( \frac{y_i - \mu}{\sigma} \right)^2$$
$$\mathcal{H}_1 \neq \mathcal{H}_2$$

23 Y

$$\hat{\eta} \sim \chi^2_{\psi} \quad \text{H} \psi \quad \tilde{E} \quad \xi \quad h$$
$$\kappa \quad \psi \quad 9 \quad \xi \quad h \quad \kappa \quad \psi'$$
$$\hat{E} \sim h \kappa \psi \neq$$
$$\hat{\alpha} \neq \psi \quad \mathbb{E}^{\tilde{\alpha}} \quad \bar{w} \quad \eta \quad \forall \quad H \quad \sim \quad H \quad \vdash \quad 2$$

,

$$\tilde{\eta} \sim \tilde{U} \quad \tilde{E}^{\tilde{\alpha}} \quad , \quad \tilde{\gamma}^{\tilde{\alpha}} \quad \gamma \quad , \quad \tilde{\gamma}^{\tilde{\alpha}} \quad \gamma \quad \psi \quad \text{HUT}$$

H u t      F 3      7 ^ i      b ~      ' E ~

$$\bar{W} \rightarrow \ell \nu \bar{W} \quad H_u \psi \rightarrow E \chi \quad , \quad \bar{W} \rightarrow \psi \quad H_u^* \rightarrow \gamma \quad , \quad \chi$$
$$H_\psi \psi$$
$$H_0 \psi = \frac{1}{2} \gamma_5 H_0$$
$$\bar{\Psi} \not{D} \Psi = \bar{\Psi} \not{D} \Psi + \bar{\Psi} \not{D} \Psi + \bar{\Psi} \not{D} \Psi + \bar{\Psi} \not{D} \Psi =$$
$$\gamma \quad \bar{G} \quad H \psi \quad \mathfrak{b} \quad \xi \quad =$$
$$H_\psi \quad H \quad \updownarrow \quad \mathfrak{h} \quad \psi \quad \mathfrak{D}^\vee \quad H_\psi \quad \sim \quad \kappa \quad \psi \quad \%$$
$$\bar{\Psi} \rightarrow V_{\alpha}^{\dagger} W_{\alpha}^+ \psi = H_u \psi = A_1 \psi + \sqrt{2} \tau^+ \psi$$
$$\mathbb{H} \quad \psi \quad \odot \quad 0$$

ñ      á

**cninf**  
巨潮资讯  
www.cninfo.com.cn



$\tilde{E}$        $E$     $\mathfrak{b}$     $\gamma$     $\gamma \parallel$     $\tau$     $\sim$     $\omega$     $\parallel$        $\tilde{U}$     $E$   
 $H \parallel$        $\tilde{\omega}$        $\neq$        $\tau$   
 $\tilde{E}$     $\mathfrak{c}$     $U \neq$     $\tau$     $\tilde{U}$     $E$     $U \sim$        $\kappa$     $\Psi =$     $\sim$     $\sim$     $\gamma \mathfrak{c}$     $U \neq$     $\tau$   
 $\tilde{U} \kappa$     $E$

$\tilde{E}$        $\tau$     $\xi$     $\tilde{U} E$     $U$     $\varphi$     $U \neq$     $\sim$        $\kappa$        $M$     $\mathfrak{p}$     $N_0$     $\sim$   
 $\mathfrak{p}$        $\mathfrak{b}$        $\mathfrak{p}$     $N_0$

$\kappa$     $\Psi$     $\mathfrak{i} \parallel$        $\sim$     $\tilde{E}$        $\tau$     $\xi$     $\tilde{U}$     $E$     $H \parallel$     $h$     $\kappa N_0$     $\neq$   
 $\sim$     $\kappa$        $\mathfrak{i}$        $N_0$     $\neq$        $\tilde{E}$

$\tilde{E}$        $\tilde{E}$        $M \mathfrak{b} \tilde{\alpha} \mathfrak{b} N_0$     $\neq$

$\bar{W}$     $E \mathfrak{M} H$        $\tilde{E}$     $E$        $G$     $\tilde{E}$     $\tau$        $\tilde{E}$     $\mathfrak{a}$   
 $\omega$     $\nu \tilde{E}$        $\mathfrak{p}$     $\sim$        $E$        $\mathfrak{b}$     $G$     $\tilde{E}$     $\tau$   
 $E$        $\omega$        $\sim$        $E$        $\mathfrak{b}$     $G$        $\parallel \tilde{E}$        $\gamma$

25%

$\bar{W}$     $E \mathfrak{M} \mathfrak{z}$        $\tilde{E}$        $\kappa$     $\Psi$     $\neq$     $N_0$        $\mathfrak{b} \mathfrak{F} =$     $U \sim$     $\tilde{E}$        $H \Psi$   
 $\kappa$     $\Psi_9$        $U H \mathfrak{a}$        $\mathfrak{p}$        $\neq$     $M \sim$        $\tilde{U} H$   
 $\bar{W}$     $E \mathfrak{M}$        $\tilde{E}$     $\neq$     $N_0$        $\omega'$

$\wedge$     $\bar{W} \sim$     $\neq$     $N_0$     $\downarrow$

$\tilde{E}$        $\neq$     $N_0$        $\sim$     $\tilde{E}$     $\neq$     $N_0$        $\mathfrak{z}$   
 $\sim$        $\kappa$        $\sim$        $\mathfrak{i}$     $\tilde{E}$        $\sim$        $\tilde{U}$

$\wedge$     $H \sim$     $\neq$     $N_0$

$\tilde{E}$        $\tilde{U}$        $\mathfrak{b}$        $\mathfrak{z}$        $N_0$     $\neq$

$\wedge \mathfrak{z} \mathfrak{z} \mathfrak{z} \sim$     $\neq$     $N_0$        $\mathfrak{D} \xi$     $\mathfrak{p}$

$1$        $N_0$        $\mathfrak{D} \xi$     $\mathfrak{p}'$        $\neq$        $\mathfrak{D} \tilde{Y} \sim$     $\mathfrak{f}$        $\frac{7}{8}$

$\neq \bar{u} \sim E^{\sim}$   $N_0 \neq \gamma$   $N_0 \neq \mathfrak{b}$   $G$   
 $\sim N_0 \neq N_0 \mathfrak{H} \mathfrak{M}$   
 $E^{\sim} \hat{\omega} \gamma$   $N_0 \neq G \hat{\omega}$   $\sim N_0 \neq$   
 $N_0 \mathfrak{H} \hat{\omega} \mathfrak{M} \sim \mathfrak{b} \mathfrak{h} \psi E \wedge E \bar{u} \bar{u} \sim E^{\sim} \tilde{v} \vdash \mathfrak{h} \mathfrak{l} \mathfrak{k}$   
 $\mathfrak{f} \mathfrak{M}$   
 $E^{\sim} \gamma$   $N_0 \neq \dot{\mathfrak{i}} \mathfrak{r} \sim \mathfrak{H} N_0$   $\mathfrak{r} \mathfrak{g}$   
 $\mathfrak{r} \mathfrak{z} \sim \mathfrak{H} N_0 \mathfrak{r} \psi$   $\mathfrak{H} \mathfrak{g} \tilde{v}$   $\sim \gamma \bar{G} N_0$   
 $\mathfrak{r} \mathfrak{l} \mathfrak{r} \mathfrak{k} \mathfrak{r} \neq \mathfrak{H} \psi^{\sim} \gamma E^{\sim}$   $\mathfrak{g} \neq \mathfrak{r}^{\sim}$   
 $\mathfrak{T} N_0$   
 $2 \neq N_0 \mathfrak{d}' E^{\sim} \mathfrak{z} \sim \mathfrak{g} \mathfrak{l} \neq \sim \mathfrak{f} \mathfrak{H} \psi \mathfrak{u} E$   
 $\sim \mathfrak{e} \mathfrak{b} E^{\sim} \mathfrak{b} \mathfrak{y} \sim \sim \gamma \mathfrak{z} \neq N_0 \mathfrak{H} \varphi \sim \neq$   
 $\neq N_0$   
 $\wedge \sim \neq N_0 = \mathfrak{g} \mathfrak{L}$   
 $E^{\sim} \neq N_0 E^{\sim} \mathfrak{H} \psi \mathfrak{r} E^{\sim} \neq \mathfrak{r}$   
 $\mathfrak{L} \mathfrak{g} \mathfrak{r} \neq \mathfrak{H} \psi N_0 \dot{\mathfrak{i}} \mathfrak{r} \sim \mathfrak{g}$   
 $E^{\sim} N_0 \mathfrak{d} \mathfrak{g} \mathfrak{y} \mathfrak{d} \mathfrak{d} \dot{\mathfrak{i}} \dot{\mathfrak{i}} = \mathfrak{H}$   
 $\mathfrak{H} \neq N_0 \bar{u} \mathfrak{H} \psi = \bar{w} E$   
 $N_0 \mathfrak{H} \psi \sim \sim \mathfrak{k} \psi \mathfrak{H} \psi \mathfrak{L} N_0$   
 $\sim \check{\alpha} \psi \mathfrak{H} \bar{u} \mathfrak{H} \mathfrak{H} \psi = \mathfrak{r}$   
 $\mathfrak{p} \sim \mathfrak{y} \mathfrak{b} \mathfrak{u} E^{\sim} \mathfrak{r} \bar{G}$   
 $\mathfrak{H} \psi \mathfrak{L} \neq N_0 \mathfrak{r} \mathfrak{r} N_0 N_0 N_0$   
 $\mathfrak{g} / \bar{u} \mathfrak{d} \mathfrak{r} \wedge 10 \sim N_0 \mathfrak{r}$   
 $\mathfrak{r} \neq N_0 \mathfrak{r} \dot{\mathfrak{i}} N_0 \dot{\mathfrak{i}} N_0$

\_ 41 \_

$$\begin{aligned}
& \sim \quad \mathbb{F} \quad \mathbb{H} \quad \dot{\mathbb{I}} \quad \tau_{\mathbb{H}} \mathbb{N} \mathbb{O} \quad \dots \\
& \dot{\mathbb{E}} \quad \gamma \dot{\mathbb{I}} \quad \mathbb{I} \quad \dots \quad \mathbb{D} \quad \mathbb{H} \quad \ddot{\mathbb{U}} \\
& \wedge \quad \tilde{\mathbb{H}} \sim \quad \mathbb{K} \neq \quad \bar{\mathbb{G}} \\
& 1 \quad \mathbb{E} \sim \quad \mathbb{H} \Psi \quad \mathbb{K} \quad \Psi \quad \neq \quad \mathbb{N} \mathbb{O} \quad = \quad \dot{\mathbb{E}} \quad \mathbb{T} \quad \tau_{\mathbb{H}} \mathbb{N} \mathbb{O} \\
& \quad \mathbb{H} \dot{\mathbb{E}} \quad \Psi \mathbb{E} \wedge \quad \mathbb{K} \quad \mathbb{K} \quad \Psi \quad \mathbb{N} \mathbb{O} \quad \dot{\mathbb{I}} \quad \mathbb{r} \quad \sim \\
& \sim \quad \mathbb{H} \mathbb{I} \quad \mathbb{b} \quad \mathbb{K} \neq \quad \mathbb{T} \quad \mathbb{K} \quad \dot{\mathbb{E}} \quad \sim \quad \tau_{\mathbb{H}} \mathbb{N} \mathbb{O} \cap \ddot{\mathbb{U}} \quad \mathbb{T} \quad \mathbb{K} \\
& \dot{\mathbb{E}} \quad \sim \quad \dot{\mathbb{I}} \quad \mathbb{T} \quad \mathbb{K} \quad \tau \\
& 2 \quad \mathbb{H} \quad \mathbb{N} \mathbb{O} \quad \sim \quad \sim \quad \gamma \quad \mathbb{H} \quad \mathbb{E} \quad \mathbb{h} \quad \mathbb{T} \quad \mathbb{K} \\
& 3 \quad \mathbb{E} \sim \quad \odot \quad \bar{\mathbb{W}} \mathbb{Q} \Psi \quad \neq \sim \quad \mathbb{P} \quad \mathbb{H} \Psi \quad \odot \quad \bar{\mathbb{W}} \Psi \quad \mathbb{U} \quad \mathbb{F}
\end{aligned}$$





М̄ W̄ No ∴ Ğ

W̄ No Ğ ∴

W̄ ñ M Ẽ ~ γ ũ ρ  
W̄ @ Ẽ ρ ì γ Ẽ 4 ρ ~ ρ Ẽ H @ Y Ẽ  
W̄ @ Ẽ 4 ~ Ъ  
W̄ ñ M W̄ Ẽ ~ Ъ γ ~ L ° ã  
ĩ ° γ Ẽ Ъ № = H M ρ ã ~ 6 M ρ  
H Ẽ ρ ã | й H 6 M ρ ~ | й  
Ẽ ρ H M J ρ ~ γ Ẽ ã ã Ъ L Ğ  
W̄ ñ M H Ẽ ~ Ъ ã ã Ъ Ъ ~ U Ẽ  
Ẽ  
W̄ ñ M Ẽ № ~ ì ° Ъ №  
Ẽ № ~ L ° ã ã ã ã γ Ẽ Ъ № = H  
M ρ ã ~ 6 M ρ H Ẽ ρ  
W̄ ñ M Ẽ № || ã Ъ № U Ẽ K ρ ~ E  
~ № || Ъ ã ã Ъ ã ã ã ã ã  
W̄ ñ M J Ẽ ∴ 'Y ~ L ° ã ã ã ã  
Ẽ Ъ № ∴ 'Y = H M ρ ã ~ 6 M ρ  
H Ẽ ρ ã | й H 6 M ρ ~ | й  
Ẽ ρ H M J ρ ~ Ẽ ã ã Ъ L Ğ  
Ẽ ∴ U 'Y Ъ Y G Y

$\bar{w} \quad \tilde{n} \vee \text{'E} \quad \text{'E}^{\sim}$        $N_0 \quad \sim \quad H \quad \ddot{u} \quad \dot{i} \quad \sim \quad \omega \quad h \text{'E}^{\sim}$   
 $\tau W \quad \dot{i} \quad , \quad \text{'E}^{\sim} \quad \sim \quad \omega \quad W \quad \text{'E}^{\sim} \quad , \quad \text{'E}^{\sim} \quad \sim$   
 $\omega \quad W \quad \text{'E}^{\sim}$   
 $\text{'E}^{\sim} \quad \nu \quad \vdots \quad \text{'Y} \quad \sim \quad \omega \quad h \text{'E}^{\sim} \quad \tau W \quad \dot{i}$

$H \quad \xi$

$\bar{w} \quad \tilde{n} \vee \neq \quad \text{'E}^{\sim} \quad \check{Y} \downarrow \downarrow \quad ,$   
 $\wedge \quad \bar{w} \sim \quad \exists \quad \dot{i} \quad \tau \quad H \quad \neq \quad ,$   
 $\wedge \quad H \sim \quad \kappa \quad \Psi = \quad ,$   
 $\wedge \quad \overset{\sim}{\sim} \overset{\sim}{\sim} \sim \quad \text{'E}^{\sim} \quad N_0 \quad ,$   
 $\wedge \quad \sim \quad \omega \quad \sim \quad \exists \quad \wp \quad \tau \quad ,$   
 $\wedge \quad J \sim \text{'E}^{\sim} \quad \ddot{u} \quad H \quad \sim \quad \Psi \quad a \quad \kappa \neq \quad \dot{i} \quad \int \quad \sim$   
 $\dot{i} \quad \tau \quad \mathfrak{b} \quad = \quad \sim \quad \text{'E}^{\sim} \quad \eta \quad \kappa \quad = \quad 10\% \quad \mathfrak{p}, \mathfrak{z} \quad \kappa \sim \sim \quad \gamma \quad \neg$   
 $\text{'E}^{\sim}$

$\bar{w} \quad \tilde{n} \vee \tilde{n} \quad \text{'E}^{\sim} \quad \bar{w} \quad \tilde{n} \vee \quad \wedge \quad \bar{w} \sim \quad \sim \quad \sim \quad \gamma$

$\acute{k}$

$\omega \quad \parallel \quad \acute{k} \quad \sim \quad \neq \quad \kappa \quad \Psi \Psi \quad \kappa \quad = \quad \overset{\sim}{\sim} \overset{\sim}{\sim} \quad N_0 \quad H$

$H \quad \Theta \quad \mathfrak{P}$





$V_{\alpha\beta}^{\gamma\delta} \quad \updownarrow$

$\mathcal{H} \quad \bar{W} \quad \mathcal{H}$   
 $\wedge \quad \bar{W} \sim \quad \mathcal{K} \sim \quad \dot{\mathcal{I}} \quad \mathcal{M} \vee \mathcal{E}^{\sim} \quad 50\% \mathcal{P}, \mathcal{Z} \quad \mathcal{K}' \quad \mathcal{M}$   
 $\mathcal{D} \quad \mathcal{B} \quad 50\% \quad \mathcal{P} \quad \mathcal{W} \quad \dot{\mathcal{I}} \quad \mathcal{M} \quad \mathcal{J} \quad = \quad \mathcal{Y} \quad \mathcal{K} \quad \Psi \quad = \quad {}^{\circ\circ}$   
 $\mathcal{J} \quad \mathcal{K}$   
 $\wedge \quad \mathcal{H} \sim \quad \mathcal{L}_{\perp} \sim \quad \mathcal{B} \quad \mathcal{E}^{\sim} \quad \mathcal{K} \sim \quad \mathcal{P} \quad \mathcal{T} \quad \mathcal{V} \quad \dot{\mathcal{I}} \quad \mathcal{I}$   
 $\sim \quad \mathcal{E}^{\sim} \quad \mathcal{W} \quad \mathcal{J}$   
 $\wedge \quad \mathcal{V}_{\alpha\beta}^{\gamma\delta} \sim \quad \mathcal{T} \quad \mathcal{T} \quad \sim \quad \mathcal{E}^{\sim} \quad \mathcal{K} \quad \mathcal{L}_{\perp} \quad \mathcal{H} \quad \mathcal{H} \quad \mathcal{J}$   
 $2 \quad \mathcal{B} \quad \dot{\mathcal{I}} \quad \mathcal{L} \quad \circ \quad \mathcal{Z} \quad \mathcal{H} \quad \mathcal{T} \quad \sim \quad \mathcal{Y} \quad \mathcal{I}^{\sim} \quad \mathcal{E}^{\sim} \neq \quad \dot{\mathcal{I}} \quad \mathcal{I} \quad \mathcal{T}$   
 $\mathcal{P} \quad \sim \quad \circ \quad \mathcal{Z} \quad \mathcal{H} \quad \mathcal{B}, \quad \mathcal{W} \quad \square \quad \dot{\mathcal{I}} \quad \dot{\mathcal{I}} \quad \mathcal{T} \quad \mathcal{T}$   
 $\mathcal{H} \quad \mathcal{H} \quad \mathcal{H} \Psi^{\sim} \quad \mathcal{W} \quad \sim \quad \mathcal{L} \quad \updownarrow \quad \updownarrow \quad \mathcal{B} \quad \mathcal{B}$

$\mathcal{H} \quad \mathcal{V}_{\alpha\beta}^{\gamma\delta} \quad \mathcal{Y} \quad \mathcal{T} \quad \mathcal{Y} \quad \mathcal{Q}^{\sim} \quad \dot{\mathcal{I}} \quad \mathcal{I} \quad \mathcal{K} \quad \mathcal{V} \quad \mathcal{B} \quad \square \quad \mathcal{B}$   
 $\mathcal{H} \quad \sim \quad \mathcal{Y} \quad \mathcal{J} \quad \bar{W} \quad \% \quad \mathcal{U} \quad \mathcal{T} \quad \mathcal{W} \quad \% \quad$   
 $\mathcal{H} \quad \text{“} \mathcal{P}, \mathcal{Z} \text{”} \quad \text{“} \mathcal{Y} \quad \mathcal{P} \text{”} \quad \text{“} \mathcal{Y} \quad \mathcal{Y} \text{”} \quad \mathcal{C} \quad \text{’} \quad \text{“} \mathcal{B} \text{”} \quad \text{“} \mathcal{Y}$   
 $\text{”} \quad \text{“} \mathcal{Y} \quad \mathcal{G} \text{”} \quad \text{“} \quad \mathcal{G} \text{”} \quad \mathcal{B} \quad \mathcal{C}$

$\mathcal{H} \quad \mathcal{J} \quad \mathcal{E}^{\sim} \quad \mathcal{H} \Psi$   
 $\mathcal{H} \quad \mathcal{E} \quad \mathcal{D}' \quad \mathcal{K} \quad \Psi \quad \mathcal{H} \quad \updownarrow \quad \mathcal{H} \Psi \quad \mathcal{H} \quad \updownarrow \quad \mathcal{E} \quad \mathcal{H} \Psi$   
 $\mathcal{H} \quad \updownarrow$   
 $\mathcal{H} \quad \neq \quad \mathcal{E}^{\sim} \quad \mathcal{K} \quad \Psi \quad \mathcal{U} \quad \sim \quad \mathcal{K} \quad \sim \quad \square$